

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for PIPERITENONE

Plant	Part	Low PPM	High PPM	StdDev	Reference
Acinos suaveolens	Shoot		45.0	-0.4513612391905648	Tumen, G. 1991. The Volatile Constituents of Acinos suaveolens (Sibt. et Smith). G. Don fil. Growing in Turkey. J. Ess. Oil Res. 3:191-2.
Agathosma betulina	Leaf Essent. Oil				--
Calamintha nepeta	Shoot		40.0	-0.4532940272705391	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190
Calamintha nepeta	Plant		120.0	-0.8339466195311347	J. Ethnopharmacology, 39: 167.
Calamintha nepeta	Leaf		3230.0	1.9595500311758245	Akgul, A., De Pooter, H.L., and De Buyck, L.F. 1991. The Essential Oils of Calamintha nepeta subsp. glandulosa and Ziziphora clinopodioides from Turkey. J. Ess. Oil Res., 3: 7-10.
Hedeoma pulegioides	Pollen Or Spore		47000.0		--
Hedeoma pulegioides	Plant	1.0	1410.0	-0.1428972286879269	--
Mentha pulegium	Essential Oil		240000.0		--
Mentha x rotundifolia	Leaf	50.0	860.0	-0.07076105297504716	--
Mentha pulegium	Plant	30.0	4800.0	1.6731162867837588	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha aquatica	Leaf				Jim Duke's personal files.
Mentha x piperita	Essential Oil				--
Mentha longifolia	Shoot	1.0	9920.0	3.3658952187586366	--
Mentha spicata	Shoot				--
Mentha spicata	Leaf				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha arvensis var. piperascens	Plant				Chemical Constituents of Oriental Herbs (3 diff. books)
Mentha spicata	Essential Oil				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Micromeria fruticosa	Leaf		2380.0	1.2313793891807858	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
Micromeria dalmatica	Leaf		2355.0	1.2099626055926964	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Shoot		435.0	-0.300603768952571	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria croatica	Leaf		210.0	-0.6275974262653705	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Shoot		435.0	-0.300603768952571	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria thymifolia	Leaf		270.0	-0.576197145653956	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
Plectranthus incanus	Shoot		65.0	-0.4436300868706677	Shah, G.C., Bhandari, R. & Mathela, C.S. 1992. 1,2-Epoxy-p-Menthane Derivatives from some Labiatae Species. J. Ess. Oil Res. 4: 57-59.
Pycnanthemum torreyi	Shoot	40.0	62.0	-0.44478975971865226	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum pilosum	Leaf	19.0	105.0	-0.7175479173353457	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum clinopodioides	Shoot	21.0	3586.0	0.9174392790472198	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum setosum	Shoot	40.0	62.0	-0.44478975971865226	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Pycnanthemum pilosum</i>	Flower	19.0	105.0		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum californicum</i>	Shoot		108.0	-0.4270081093828889	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum virginianum</i>	Shoot	6.0	203.0	-0.3902851358633776	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum verticillatum</i>	Shoot				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum pycnanthemoides</i>	Shoot	312.0	464.0	-0.2893935980887202	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum incanum</i>	Shoot	11.0	19.0	-0.4614117372064311	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Pycnanthemum beadlei</i>	Shoot		1533.0	0.12383649340978072	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Rosmarinus officinalis</i>	Leaf		4.0	-0.8040717230312268	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of <i>Rosmarinus officinalis</i> L. from Egypt. Flavour and Fragrance J. 9: 29-33.
<i>Rosmarinus officinalis</i>	Leaf		4.0	-0.8040717230312268	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of <i>Rosmarinus officinalis</i> L. from Egypt. Flavour and Fragrance J. 9: 29-33.
<i>Rosmarinus officinalis</i>	Leaf		8.0	-0.8006450376571325	Soliman, F.M., El-Kashoury, M.M., Fathy, M.M. and Gonaid, M.H. 1994. Analysis and Biological Activity of the Essential Oil of <i>Rosmarinus officinalis</i> L. from Egypt. Flavour and Fragrance J. 9: 29-33.
<i>Satureja douglasii</i>	Plant	1.0	377.0	-0.6962724385646972	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.